California Manual on Uniform Traffic Control Devices



CALIFORNIA STATE TRANSPORTATION AGENCY

California Department of Transportation Division of Traffic Operations, Office of Traffic Engineering Effective November 7, 2014

Sheet 1 of 14 - Regulatory Signs This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool. California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes). For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.





R1-1



R1-2

TO **ONCOMING TRAFFIC**

ALL WAY

R1-3P



R1-5

HERE T0 PEDESTRIANS

R1-5a



R1-6



R1-6

with S4-3P



R1-6b



YIELD TO PEDESTRIANS 🦎 R1-9

STATE LAW

STATE LAW MY YIELD TO PEDESTRIANS MY

Modified R1-9 For School Crosswalk Warning Assembly E (CA)

EXCEPT RIGHT TURN

R1-10P

SPEED LIMIT

R2-1

YOUR SPEED

Vehicle Speed

Feedback Sign

R1-2aP

NIGHT

R2-3P

ZONE AHEAD

R2-4 (CA)

MINIMUM **SPEED**

R2-4P

SPEED LIMIT 50 MINIMUM 30

R2-4a

UNLESS OTHERWISE POSTED

R2-5P

FINES \$150 DOUBLE FINE

R2-6bP

BEGIN DOUBLE FINES ZONE

END DOUBLE FINES ZONE

R2-11

END SPEED LIMIT

R3 (CA)

R3-1

R3-2



R3-3



R2-6aP



R3-4

Activated Blank-Out

ONLY

R2-10



LEFT LANE

TAXI LANE

R3-5dP

R3-5fP

Activated Blank-Out

RIGHT LANE

BUS LANE

RIGHT LANE MUST TURN RIGHT

Activated Blank-Out







R3-5

R3-5a

R3-5bP

R3-5cP

H0V 2+ CENTER LANE

R3-5eP

R3-5gP

R3-6

R3-7

R3-8



R3-8a



R3-8b

ONLY

R3-9a



CENTER LANE DO NOT USE 7-9 AM MON-FRI

R3-9f








R3-12









LEFT LANE H0V 2+ ONLY 1/2 MILE

BUS LANE AHEAD

R3-12f

BUS LANE **ENDS**

R3-12g

BUS LANE **ENDS** 1/2 MILE

R3-12h

R3-11a

HOV 2+ ONLY OR MORE PERSON PER VEHICLE

R3-13

HOV 2+ ONLY OR MORE PERSONS PER VEHICLE

R3-13a



R3-14

R3-12a



R3-12b



R3-14b

R3-12c



R3-14c

H0V 2+

AHEAD

R3-12e



R3-15a



R3-15b

HOV ESTRICTION **ENDS**

R3-15c

BUS LANE AHEAD

R3-15d

BUS LANE **ENDS**

R3-15e



R3-18



Activated Blank-Out

R3-14a





R3-15



RIGHT LANE **MUST EXIT**

R3-33

H0V 2+ 2 OR MORE PERSONS PER VEHICLE R3-40

EXPRESS LANE **ENDS**

R3-42

EXPRESS .ANE **ENDS** ¹/2 MILE

R3-42a

EXPRESS IRESTRICTION ENDS

R3-42b

EXPRESS RESTRICTION **ENDS** 1/2 MILE

R3-42c

HOV 2+ 2 OR MORE PERSONS PER VEHICLE

R3-43



R3-27



EXPRESS

LANE

ENDS

R3-45

EXPRESS

RESTRICTION

ENDS

R3-45a



EXPRESS LANE 70/Page TOLL го 128 🕴 0.5-0 то 🐯 💲 2.00 HOV 2+ NO TOLL R3-48a

DONOT **PASS**

R4-1

PASS WITH CARE R4-2

SLOWER TRAFFIC KEEP RIGHT

R4-3



R4-4

TRUCKS USE RIGHT LANE R4-5

R3-44a **TRUCK**

LANE

500

FEET

R4-6

To∥Pass OR

HOV 2+ ONLY

4



















12/9/15, Revision 1

California Department of Transportation Division of Traffic Operations, Office of Traffic Engineering Effective November 7, 2014

Sheet 2 of 14 - Regulatory Signs This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool. California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes). For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.







WITH 5 OR MORE FOLLOWING VEHICLES MUST USE TURN-OUT

R4-12

SLOW VEHICLES TURN-OUT AHEAD

SLOW **VEHICLES** MUST TURN OUT

KEEP RIGHT **EXCEPT** TO PASS DO NOT DRIVE **ON**

PASS ON SHOULDER

R4-18

DO NOT





Activated Blank-Out



R4-10



R4-11

SLOW VEHICLES

R4-13

R4-14

N0

MOTOR

VEHICLES

DIVIDED

HIGHWAY

R6-3a

R4-16

SHOULDER R4-17





R5-1a



Activated Blank-Out



R5-1b



R5-2

R5-3



R5-4



R5-6



R5-10a

NO PEDESTRIANS

R5-1

R5-10b N0 PEDESTRIANS

R5-10c

VEHICLES ONLY

AUTHORIZED

R5-11



R6-1



R6-2



R6-3





R6-3A (CA)

VAN

R7-8b

ST0P



R6-4

(I) PARKING



R6-4a

CROSS

ONLY

ΑT

CROSS

WALKS



R6-4 (CA)





R6-5P

EMERGENCY

PARKING

BEGIN

R6-6

END ONE

R6-7

R6-3 (CA)

8:30 AM TO 5:30 PM

R7-2

ACCESSIBLE

BIKE

R7-9 R7-20



R6-4b

R7-107a



R7-108

R6-4A (CA) **EMERGENCY**

SNOW ROUTE NO PARKING IF OVER 2 INCHES

ONLY R7-203 R8-4

EMERGENCY STOPPING ONLY

R8-7

DO NOT ST0P 0 N TRACKS

R8-8

TRACKS OUT OF **SERVICE**

R8-9

HERE WHEN **FLASHING**

R8-10

WALK ON LEFT **FACING** TRAFFIC

R9-1

R9-2



NO **PEDESTRIAN CROSSING**

R9-3a



R9-3bP



R9-3cP



R9-4



R9-5



R9-6



R9-7

R9-13



R9-14



R9-3

R10-1



R10-2





R10-3a



R10-3b

NO TURN

ON RED



R10-3i

NO TURN

ON RED

FROM

THIS LANE



R10-4

LEFT TURN

YIELD

ON GREEN

R10-12



EMERGENCY

SIGNAL

R10-13

R10-4a



R10-6



R10-7

MON-FRI

7AM-9AM

4PM-7PM

R10-20aP

USE **LANE** WITH **GREEN ARROW**

R10-8

SUNDAY

7AM-11AM

R10-20aP

Alternate

LEFT TURN SIGNAL

R10-10

TO REQUEST

GREEN

ON O

WAIT

R10-3



CROSSWALK

STOP.

ON RED

R10-23

R10-11

EXCEPT FROM RIGHT LANE R10-11c

PUSH

BUTTON TO

TURN ON

WARNING

LIGHTS

R10-25

WEIGHT

LIMIT

10

R10-11d

(MO)

PUSH

BUTTON

FOR GREEN

LIGHT

R10-26

WEIGHT

RIGHT TURN ON RED MUST YIELD TO **U-TURN**

R10-30

AT SIGNAL

R10-31P

PUSH BUTTON FOR 2 SECONDS FOR EXTRA CROSSING TIME

R10-32P

R10-5

EMERGENCY

SIGNAL

STOP ON

FLASHING

RED

R10-14

KEEP 0FF MEDIAN

R11-1

R10-15

TURNING

TO **7**

ROAD CLOSED

R11-2

ROAD CLOSED 10 MILES AHEAD LOCAL TRAFFIC ONLY

R11-3a

RIGHT

R10-22

TONS THRU TRAFFIC



ON RED



TRUCK ROUTE



3 **TRACKS**





R11-3a Alternate

BRIDGE CLOSED

10 MILES AHEAD

LOCAL TRAFFIC ONLY

R11-4

ROAD CLOSED

R12-1

R12-5

R13A (CA)

R14-1

California Department of Transportation Division of Traffic Operations, Office of Traffic Engineering Effective November 7, 2014

Sheet 3 of 14 - Regulatory Signs This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool. California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes). For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.







R15-4c





R15-6



R15-7



R15-8

LIGHTS ON WHEN USING **WIPERS**

R16-5

LIGHTS ON WHEN RAINING

R16-6

HEADLIGHTS R16-8

TURN ON

CHECK HEADLIGHTS

R16-9

BEGIN DAYTIME HEADLIGHT SECTION

R16-10

R15-4b

END DAYTIME

RIGHT LANE **MUST** EXIT

RIGHT 2 LANES MUST EXIT

R15-5

RIGHT LANE FREEWAY ONLY

WEIGHT LIMIT 12T 16T

OVER___TONS OVER_AXLES

R20D-1 (CA)

OVER 96" WIDE

OVER 60 FT LONG

LENGTH LIMIT 65FT 75FT 🕶

TURN ON HEADLIGHTS

NEXT 15 MILES

R16-7

SEMI OVER 38 FEET KINGPIN TO REAR AXLE

HEADLIGHT SECTION R16-11

R18A (CA)

R18A (CA)

R18B (CA)

R20A (CA)

R20D-2 (CA)

SCHOOL

BUS

ONLY

R20D-3 (CA)

R20D-4 (CA)

R24C (CA)

R20H (CA)

R20-1 (CA)

15 MPH ON BRIDGE FOR VEHICLES OVER 10 TONS NEXT RIGHT

ON BRIDGE R22 (CA)

OK

T0

PARK

NO FISHING FROM **BRIDGE**

R23 (CA)

PARK PARALLEL

R24 (CA) **R24A (CA)** TAXICAB ONLY

R25F (CA)

ON

R27 (CA)

NO

R24B (CA)

TOUR MAIL DEPOSIT BUS ONLY ONLY

R24D (CA)

BLOCK WHEELS 10 CURB

R24E (CA)

PARK OFF PAVEMENT

R20-1A (CA)



R21 (CA)





R25C (CA)











R25H (CA)



R25J (CA)

CAR SHARE

NO **PARKING** ANY TIME

R26 (CA)

STOPPING

ANY TIME

STOPPING

ANY

TIME

R26(S) (CA)

R25 (CA) R25A (CA)

NO **PARKING** ANY TIME

R26A (CA)

N0 STOPPING ANY TIME

R26A(S) (CA)

R25B (CA)

NO **STOPPING** FIRE LANE

R26F (CA)



R25D (CA)

R26K (CA)

STOPPING ANY TIME

R26L (CA)

R25E (CA)

BRIDGE

NO **PARKING** PARKING ON **BRIDGE**

R27A (CA)

R29 (CA)

NU **PARKING** ANY TIME

R28 (CA)

R28(S) (CA)

NO

NO PARKING ANY TIME

R28A (CA)









PARKING UBJECT TO CITATION AN EMOVAL AT OWNER'S EXPENS CALL POLICE DEPARTMENT TO RECLAIM VEHICLE

R28E (CA)

VEHICLES 5 TONS

NO STOPPING 7 ™ 10 AM 4 10 7 PM NO PARKING 10 AM to 4 PM

PARKING 7 ™ 9 A M 4 ™ 6 PM

NO **PARKING 7**AM ™ 6 PM

















R31(S) (CA)

R28F (CA)





R30 (CA)



R30A (CA)

3(0) MINUTE **PARKING 2**am™6am DISTRICT 3 PERMITS EXEMPT

R32D (CA)











WHEN METERED EXCEPT BUSES AND HOV 2+ 2 OR MORE **R33C (CA)**

COMMERCIAL **VEHICLES** OVER 5 TONS PROHIBITED R36 (CA)

BICYCLES

MOTOR-DRIVEN

CYCLES

MUST

R32 (CA)

7 ™ 9 АМ 4 ™ 6 PM NO PARKING 9AM 10 4 PM R37 (CA)

BICYCLES

MUST

NO PARKING 4 AM TO 5 AN 2 HOUR PARKING 9 AM TO 6 PM R38 (CA)

NO STOPPING 7 ™ 9 AM 4 10 6 PM PARKING 9ам № 4РМ

R38(S) (CA)







SPEED

ENFORCED

BY

AIRCRAFT





END

TRUCK

LANE

Ø₩ BIKE PATH N0 MOTOR VEHICLES OR MOTORIZED BICYCLES R44A (CA)

TRUCKS

RIGHT

LANE

ONLY

EXIT



END TRUCK LANE CONTROL

R47 (CA) YIELD TO UPHILL

\$1000 FINE

FOR

LITTERING

\$1000 FINE FOR ANIMAL ABANDONMENT

R47A (CA)



ENFORCED R48-1 (CA)

RADAR

R48-2 (CA)



R49 (CA)



R53B (CA)

R53D (CA)

TRUCKS

PROHIBITED

R53E (CA)

TRAFFIC R55 (CA)

Sheet 4 of 14 - Regulatory Signs

California Department of Transportation Division of Traffic Operations, Office of Traffic Engineering Effective November 7, 2014

This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool. California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes). For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.







R57 (CA) R58 (CA)



R60B (CA)



R61-1 (CA)



R61-3 (CA) R61-5 (CA)



R61-7 (CA)



R61-9 (CA)



R61-11 (CA)



R61-13 (CA)



R61-15 (CA)

R61-17 (CA)

PUSH BUTTON



R61-19 (CA)



R61-22 (CA)



R61-24 (CA) R61-26 (CA)





R61-30 (CA)



R61-32 (CA)



R61-34 (CA)



R61-36 (CA)

R62E (CA)





R70 (CA)



R73-1 (CA)



R73-2 (CA)



R73-3 (CA)



R61-28 (CA)

R73-4 (CA)



R73-5 (CA)



R73-6 (CA)



R73-8 (CA)



AT SIGNAL



R75 (CA)

CHAINS REQUIRED

R76 (CA)



R76-1 (CA)



R78 (CA)



R79 (CA)



R80-1 (CA)



R73-9 (CA)

R74 (CA)

R81B (CA)

1 CAR PER GREEN

6AM-9AM

MON-FRI



MON - FRI R82A (CA) R82B (CA)



R86-3 (CA)



R77 (CA)

R86-4 (CA)



R87-3 (CA)

VEHICLES WITH DMV

CLEAN AIR DECAL OK

HAZARDOUS

WASTE

PROHIBITED

R102A (CA)



R87-4 (CA)



R87-5 (CA) R88 (CA)



LEFT LANE

1 CAR PER GREEN

R81A (CA)

BEGIN

R89 (CA)

1 CAR PER GREEN

EACH LANE



R89-1 (CA)



R89-3 (CA)



R90-1 (CA)



R91-1 (CA)

GUISHING PLACARDS OF LICENSE PLATES ISSUE IAL LICENSE PLAIES ISSUE PERSONS WITH DISABILITIE: WILL BE TOWED AWAY I THE OWNER'S EXPENSE




R91-4 (CA)

PRIVATE ROAD

VEHICLE CODE

ENFORCED

R101 (CA)





R102 (CA)

R93A (CA)



R93-2 (CA)



R94 (CA)

HAZARDOUS

WASTE

PERMITTED

R103A (CA)



R99 (CA)



R99B (CA)



R99C (CA)



R100A (CA)

HAZARDOUS

R105A (CA)



OR BY TELEPHONING

MATERIAL PERMITTED



R107 (CA)



ALT FUEL

VEHICLE

PARKING

ONLY

R108 (CA) R109 (CA)



R110 (CA)



R103 (CA)

R112 (CA)

WHEN

CHILDREN

ARE PRESENT

S4-2P



R113 (CA)

R104A (CA)



R113A (CA)

CHARGING

EV CHARGING 8ам 106РМ

R114 (CA)

STATE PROPERTY



R114A (CA)

PILOT CAR **DO NOT PASS** R115 (CA)

R116 (CA)



R117 (CA)



R118 (CA)

FREEWAY ON THIS SECTION OF
HIGHWAY
INFORMATION AS TO EMPRIANCES ANNIABILI
MAY BE HAD AT DISTRICT OFFICE
(ADDRESS).

S3-1 (CA)



S5-3

NO DUMPING NO TRESPASSING
VIOLATORS WILL BE PROSECUTED
PENAL CODE SEC. 374.1, 602-n; VENCLE CODE 22523, 226.59

S8 (CA)



S21 (CA)

S30-1 (CA)

DAYLIGHT

HEADLIGHT

SECTION

NEXT ___ MILES S30-2 (CA)

TURN ON

HEADLIGHTS

S30-3 (CA)

END

DAYLIGHT

HEADLIGHT

SECTION

S30-4 (CA)

TURN ON

HEADLIGHTS

S30-5 (CA)



S33 (CA)

(12)



NOTICE









R104 (CA)



4 HOUR

Н

R105 (CA)

M>

PERSON WHO PROVIDES REPAIR
CE ON THESE PREMISES TO ANY
FRARILY DISABLED VEHICLE SHALL
THIS PREMISE IMMEDIATELY AFTER
SERVICE IS COMPLETED. ANY FURTHER SOLICITATION FOR BUSINESS OR LOITERING IS ILLEGAL AND WILL SUBJECT THE VIOLATOR TO A CITATION AND/OR REMOVAL FROM THE PROPERTY

CHECK

California MUTCD 2014 (Including Revision 1) Sign Charts Sheet 5 of 14 - Regulatory Signs


California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes).

This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool.

WARNING, ANY PERSON WHO REMOVES PROPERTY FROM THE PREMISES WITHOUT AUTHORITY IS

SR13-1 (CA)

Division of Traffic Operations, Office of Traffic Engineering Effective November 7, 2014



SCHOOL **SPEED** LIMIT

25 UNTIL SCALE CLEAR

RELEASE WAITHERE **BRAKES** WHILE ON SCALE

SET PARKING **BRAKES**

For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.

EMPTY

LOADED

SR9-1 (CA)

SR10-1 (CA)

EMPTY 5 MPH

SR11-1 (CA)

SR12-1 (CA)

GUILTY OF THEFT. STATE OF CALIFORNIA P.C. SEC. 484 CALIFORNIA HIGHWAY PATRO LOADED 3 MPH



SAFETY **BELT LAW ENFORCED**

SR15 (CA) SR15A (CA)

SR4-1 (CA) School Speed Limit Assembly C (CA)

NO **EXPLOSIVES**

SR6-1 (CA)

EXPLOSIVES AND CORROSIVES **PROHIBITED** WITHOUT PERMIT

SR7-1 (CA)

SNOW NOT REMOVED BEYOND HERE

SR8-1 (CA)

DUMPING PROHIBITED

NO **HOUSEHOLD** GARBAGE

TRANSPORTING LEGAL FIREWORKS PROHIBITED

DISPLAY OF **VEHICLES** FOR SALE **PROHIBITED**

ONE LANE BRIDGE FOR TRUCKS

LEFT TURN ON GREEN

SR27-1

TRUCKS NOT GIVEN BYPASS SIGNAL MUST ENTER OPEN SCALES SR17 (CA)

FLAMMABLES

SR18 (CA)

SR19-1 (CA)

SR20-1 (CA)

SR22-1 (CA)

SR23-1 (CA)

SR25 (CA)

SR26 (CA)

AND BUSES

ARROW ONLY

SR39A (CA)

LEFT OR U TURN ON GREEN ARROW ONLY

OVER 13'-6" WIDE

SR40 (CA)

ALL BUSES ST0P AT SCALES

SR41 (CA)

ALL **BUSES**

CARTS 0 K DAYLIGHT HOURS

SR43 (CA)

GOLF

BUS AND TRUCK INTERSTATE CARRIERS THE CALIFORNIA P.U.C. TEL (415) 703-2177

SR44 (CA)

KEEP CLEAR

SR46 (CA)

EMERGENCY

ACCESS

COMBINED USE NEXT___MILES

OFF HIGHWAY

OFF HIGHWAY VEHICLE THIS POINT

VEHICLES BEYOND

RIGHT LANE

NO

PARKING SNOW REMOVAL **CONDITIONS EXIST**

SR49 (CA)

RIGHT LANE

BUS

LANE

AHEAD

NO IDLING

TOW-AWAY

N0

SR48 (CA)

SR39A(U)(CA)



SPECIAL DRIVING ZONE BEGINS HERE **DOUBLE** FINE ZONE

DOUBLE FINE ZONE

SR54 (CA)

RIGHT LANE

TRAINS

RIGHT TURNS

ONLY

24 HOURS

SR42 (CA)

SPECIAL DRIVING ZONE ENDS HERE

SR55 (CA)

BUS

ENDS

PH0T0

SR56 (CA)

ENFORCED

ALL TRUCKS - 2 AXLE AND MORE - STOP AT SCALE SR57 (CA)

RED LIGHT VIOLATION

SR58 (CA)

SR47 (CA)

MINIMUM FINE

BUS LANE **AHEAD**

SR60-1 (CA)

ON 4TH ST. SR60-2 (CA)

HOV VIOLATION MINIMUM FINE SR50-1 (CA)

RIGHT LANE

BUSES

TAXIS

ONLY

6AM - 9PM

MON - FRI

SR60-3 (CA)

SR50-2 (CA)

RIGHT LANE

BUSES

TAXIS

ONLY

24 HOURS

SR60-4 (CA)

SR53 (CA)

RIGHT LANE BUSES ONLY **24 HOURS**

SR60-5 (CA)

SR60-6 (CA)

RIGHT LANE LANE

SR60-7 (CA)

RIGHT LANE **BUSES** TAXIS ONLY 6AM - 9PM MON - FRI

SR60-8 (CA)

RIGHT LANE **BUSES** TAXIS ONLY **24 HOURS**

SR60-9 (CA)

MINOR CRASH NO INJURIES SAFELY MOVE VEHICLES FROM TRAVEL LANES

SR61(CA)

NO IDLING COMMERCIAL VEHICLES AND ALL BUSES 13 CCR 2480 & 2485 PENALTIES APPLY

SR62 (CA)

SR63 (CA)

New, deleted, or modified signs, compared to the 2012 Sign Chart

Sign Designation	CA MUTCD Section	Status	Comments
R10-16	TURN IELD TO GHT URN	Deleted	
R11-3b	GE OUT ES AHEAD ARAFTIC ONLY	Deleted	Use R11-3a as an alternate with "BRIDGE" in lieu of "ROAD"
R110 (CA)	2B.112 (CA)	New	
R111 (CA)	6F.108 (CA)	New	
R112 (CA)	2B.46	New	
R113 (CA)	2B.46	New	
R113A (CA)	2B.46	New	
R114 (CA)	2B.46	New	
R114A (CA)	2B.46	New	
R115 (CA)	6C.13	New	
R116 (CA)	21.05	New	
R117 (CA)	9B.102 (CA)	New	
R118 (CA)	9B.103 (CA)	New	

California MUTCD 2014 (Including Revision 1) Sign Charts Sheet 6 of 14 - Warning Signs and Object Markers

California Department of Transportation Division of Traffic Operations, Office of Traffic Engineering Effective November 7, 2014

This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool. California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes).







BUS TURN AHEAD

S3-2

For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.



S4-3P



TRAILERS-CAMPERS

SW17-1 (CA)



SW22-1 (CA)



SW22-1A (CA)



SW24-1 (CA)

S1-1

S3-1

AHEAD



LASH FLOOD **AREA**

S4-5



SW4-1 (CA)









SW24-2 (CA)



TRACTOR-SEMIS

SW26 (CA)

SW32 (CA)

SW35 (CA)

SW37 (CA)

SW38 (CA)

SW41 (CA)

SW44 (CA)

SW46 (CA)

0FF **HIGHWAY** VEHICLES

VER — FEET KINGPIN TO NOT ADVISED

PLAYGROUND NEXT RIGHT

FACILITY

SENIOR

CITIZEN

EMERGENCY VEHICLES



2 OR MORE PER VEHICLE WHEN METERED

HOV 2+ IS

WATCH FOR SNOW REMOVAL

SW47 (CA)

SW48 (CA)

SW48-1 (CA)

SW49 (CA)

SW50 (CA)

SW52 (CA)

SW54 (CA)

SW54-1 (CA)

SW54C (CA)

EQUIPMENT

SW58 (CA)



SW59 (CA)

WATCH FOR STOPPED **VEHICLE**

SW60 (CA)



W1-1

W1-1a



W1-2

35

W1-2a

Vehicle Speed Feedback Sign (Example assembly with W1-2a)



W1-3



W1-5



W1-6

W1-7



W1-8 W1-10





W1-10a

W1-10b



W1-10c



W1-10d



W1-10e

W1-4



W1-13



W1-15



W2-1

W2-2





W2-4



W2-5





W2-6



W2-7L



W2-7R

W1-11









W3-2





W2-3



W3-5







W3-7



W3-8



W4-1



W2-8

W4-1 (CA)



W4-2



W4-3

CROSS TRAFFIC DOES NOT STOP

W4-4P



NCOMING TRAFFIC DOES NOT STOP

W4-4bP



W4-5

W3-6

N₀ **MERGE** AREA

W4-5P





W4-14 (CA) W4-18 (CA)

W4-22 (CA)



W5-1







W5-4a



W6-2

RUNAWAY

TRUCK RAMP

W4-6



TRUCK

ESCAPE

W4-10 (CA)



W7-1







NEXT MILES W7-3aP



TRUCK RAMP 1 MILE W7-4

RUNAWAY

TRUCK RAMP

RUNAWAY

W7-4b W30A (CA)

RAMP W7-4c

California MUTCD 2014 (Including Revision 1) Sign Charts Sheet 7 of 14 - Warning Signs and Object Markers

California Department of Transportation Division of Traffic Operations, Office of Traffic Engineering

Effective November 7, 2014 This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool.





BLOCKS VIEW



California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes).



W8-3





W8-5



W8-5aP

STEEL **DECK** W8-5bP **EXCESS**

OIL

W8-5cP





W7-6

BUMP

W8-1

For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.

W8-2

W8-4

ICE

W8-6



ROUGH ROAD

















W8-16

W8-7

W8-8

W8-9

W8-10

W8-10P

W8-11

W8-13

W8-15

W8-15P









FOG AREA

NO SHOULDER









W8-17P

W8-18

W8-19

W8-21

W8-22

W8-23

W8-25

W9-1

AHEAD

W9-7



EXEMPT



W10-3





W10-5



W10-5P



W10-7

Activated Blank-Out



W10-8



W10-9

W10-1

W10-1aP



W10-2

150 FEET BETWEEN TRACKS



NEXT

CROSSING

W10-4



ROUGH

CROSSING

W10-15P



W10-12



W11-1





W11-2

N₀ TRAIN HORN

W10-9P





W10-11a













W11-1 (CA)









W11-5

















W11-12P



W11-15





W11-15a



W11-16



W11-17



W11-18



W11-19



W11-20





W11-22



W12-1



















W14-1a







← Elm St Lumsden Rd → W16-8aP































W16-4P

W16-5P

W16-12P

California MUTCD 2014 (Including Revision 1) Sign Charts Sheet 8 of 14 - Warning Signs and Object Markers

California Department of Transportation Division of Traffic Operations, Office of Traffic Engineering Effective November 7, 2014

This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool. California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes). For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.





N0 **TRAFFIC SIGNS**

FREEWAY ENDS 1 MILE





EXPRESSWAY ALL TRAFFIC ENDS MUST EXIT



W20 (CA)



W20A (CA)



W17-1

W18-1

W19-1

EXPRESSWAY ENDS 1 MILE

W19-2

W19-3

W19-5

W30B (CA)









SLIDE **AREA**

W19-4



RIGHT LANE

TURNS RIGHT

AHEAD











W50-1 (CA)

W30C (CA)

W31 (CA)

W31A (CA)

W34A (CA)



W38 (CA)

W44A (CA)

W46A (CA)

W48 (CA)





W51 (CA)



W55 (CA)

CROSS TRAFFIC AHEAD

W70 (CA)

 \Diamond **EXIT** 30 MPH

W72B (CA)



W73 (CA)

W73A (CA)



W74 (CA)



W74-1 (CA)



W82 (CA)



W82-1 (CA)

WITH CARE

PASS

W83 (CA)



W59-1 (CA)

W84 (CA)



W85 (CA)



W87 (CA)



W88-2 (CA) **Activated Blank-Out**



W88-3 (CA) **Activated Blank-Out**

Type 4 Object Markers



W89 (CA) **Activated Blank-Out**



OM1-3

N-1 (CA)

Type N (CA) Object Marker








OM2-2H









OM4-1 OM4-2 Type N-5 (CA)




Type N-4 (CA)

Type 1 Object Markers

L-1 (CA) L-1 (CA) L-2 (CA) L-2 (CA) Type L (CA) Markers



Right Type P (CA) Markers




Type Q (CA)



Type K-1 (CA)

Type R (CA)






OM4-3

N-2 (CA)

Type N (CA) Object Marker



New, deleted, or modified signs, compared to the 2012 Sign Chart (Revision 1 changes noted by orange bar)

Sign Designation	CA MUTCD Section	Status	Comments	
W84 (CA)	2C.29	New		
W85 (CA)	2C.29	New		
W87 (CA)	2C.35	New		
W88-2 (CA)	2C.37, 4I.03	New		
W88-3 (CA)	2C.37, 4I.03	New		
W89 (CA)	2C.37	New		

California Department of Transportation Division of Traffic Operations, Office of Traffic Engineering Effective November 7, 2014

Sheet 9 of 14 - Guide Signs This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool. California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes). For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.













Front Ave 🛪

D1-1d



D1-2

Onondaga →



D1-2c

← 🐼 Gardens

Amity Twin Falls →

D1-2d

↑ Redmond 🥎 Bend Burns





D1-5a





D2-2

Denver 20



56 ε Winchester s

D3-1a



🥎 Century Dr 14th St →





D3-2

Alternate





D4-1

PARK -RIDE

D4-2

PARKING

REST AREA 1 MILE

D5-1



D5-2

D1-3d



D5-6

YOSEMITE NAT'L PARK 1/4 MILE

D7-1



D8-1



D9-1



D9-2



D9-3



D9-3a



D4-3









D9-9





D9-11













D9-22



D11-1



D12-1



D15-1

D9-10



D15-1 Alternate

D9-11a



LEFT

E1-5aP





 \Diamond HOV **LANE** ENTRANCE





E8-2



E8-2a



E8-3







EXIT



E6-2

WEST 20 Dallas E6-2a






E8-1a













EXIT

E11-1a



EXIT ONLY

E11-1c



EXIT ONLY

E11-1e



EFT.

E11-2



E13-1P



Exit Direction sign

with E13-2 sign panel



with E13-2 sign panel

and flashing yellow beacons

















G1-19 (CA)



G5 (CA)
















Fresno 👈

G1-16 (CA)

















Fresno

Stockton G8-19 (CA)



G9-2 (CA)



G9-5 (CA)



G10 (CA)



G8-4 (CA)

Kern

G10-4 (CA)



G8-7 (CA)








G11-4.1 (CA)








NORTH FORK



G11-6 (CA)











Joe Smith Tunnel







Sheet 10 of 14 - Guide Signs

This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool. California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes).

California Department of Transportation Division of Traffic Operations, Office of Traffic Engineering Effective November 7, 2014





Donner Pass ELEV 7135 FT

ELEVATION 3000 FT Sacramento RIGHT LANE

Marysville Yuba City

(12) EAST Fairfield RIGHT LANE 880 Ѕоитн Oakland San Jose RIGHT LANE







G15 (CA)

G16 (CA)

G17 (CA)

For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.

G20-1 (CA)

G20-3 (CA)

G20-5 (CA)

G20-7 (CA)

G20-9 (CA)

G21-1 (CA)

G21-3 (CA)





rnon Ave 📵

11/2 21/4

pring Street wa Avenue 21/4 aple Avenue

San Bernardino

TO EAST Los Angeles San Bernardine 15 395 Riverside

G22 (CA)

G23-1 (CA)

G23-2 (CA)

G23-3 (CA)

G23-4 (CA)

G23-5 (CA)

G23-6 (CA)

G24-1 (CA)

Los Angeles

G24-3 (CA) G24-4 (CA)





South

















G24-5 (CA)

G24-6 (CA)

G26-1 (CA) Shield

G26-2 (CA) Marker

G27-1 (CA)

G27-2 (CA) Marker

Shield

G30 (CA) Marker







G30B (CA)



G33-1 (CA)



G58 (CA)



G66-12A (CA)



G66-21 (CA)

1/2 MILE

G66-21A (CA)



G66-21C (CA) G66-21B (CA) Subject to FHWA interim approval IA-13.



G66-22A (CA)

BRAKE CHECK AREA

G66-59 (CA)





G66-22C (CA) G66-22D (CA)



HYDROGEN

G66-22G (CA) G66-22H (CA)







G66-55 (CA)



G66-56 (CA)







G66-57 (CA)

BRAKE CHECK









G66-62 (CA)





G69 (CA)

G66-22J (CA) G66-22K (CA)



G70-3 (CA)

NEXT REST 5 MI



G70-4 (CA)

Tourist Information

G81-21 (CA)



G70-5 (CA)

G66-56A (CA)





G77-1 (CA)



G77A (CA)

G66-60 (CA)







G68 (CA)













G81-61 (CA)

G76 (CA)

EMERGENCY CALL 9-1-1

G81-62 (CA)



G81-63 (CA)

G77-4 (CA)



G81-65 (CA)

REPORT DRUNK **DRIVERS CALL 911**









G83-5 (CA)



G83-6 (CA)



G84-2 (CA)



WHEN FLASHING G81-64A (CA)



G85-1 (CA)

Main St 🛪

G85-2 (CA)



G81-66 (CA)







(EXIT 444A) Modesto St A

G85-11 (CA)













Old Towne Orange Historic District



EXIT 444 A





NEXT 10 EXITS G87 (CA)



FREEWAY





G86-5 (CA)

G86-14 (CA)

G86-15 (CA)

Oakland

Sheet 11 of 14 - Guide Signs

California Department of Transportation Division of Traffic Operations, Office of Traffic Engineering Effective November 7, 2014

This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool. California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes).





PARK - RIDE



NEXT RIGHT

PARK - RIDE 🕮 G95E (CA)

Burbank **NEXT RIGHT**



TROLLEY G96A (CA) AMTRAK







G95A (CA)



G95B (CA)

For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.

BUS SERVICE G95D (CA)

G95G (CA)

G96 (CA)

G97A (CA)

G200-80 (CA)

G200-81A (CA)



BOTANICAL MANAGEMENT AREA





I-6

G95F (CA)









I-11



I-12

G200-82 (CA)

G200-82A (CA)

I-3



1-7

I-8

I-9



ALTERNATE

M4-1

M4-1a

REPORT EMERGENCY OR PROBLEM TO 1-800-555-5555









EAST

M3-2



M3-4

ALT

CROSSING 836 597 H

I-13

M1-1

M1-2

M1-3



M1-7



M2-1









BY-PASS M4-2

BUSINESS

M4-3

TRUCK

M4-4

ΤO

M4-5

END

M4-6

TEMPORARY

M4-7

TEMP

M4-7a M4-14



M5-1





CENTER

RIGHT













M5-3

M5-4



M5-5 M5-6



M6-1











M6-5





M6-7



RS-022



RS-044

Caltrans SURVEY MON.

S2 (CA)



RS-046





RS-052



RS-053



RS-054



RS-061

M6-4



M6-6



RS-200

STATE PROPERTY

S1-1 (CA)

8 HOUR PARKING

FACILITIES WITHIN 7 MILES OF EACH OTHER ARE CONSIDERED TO BE THE SAME FACILITY.

E REST OR VISTA POIN TOWED AT OWNER'

DO NOT DISTURB

PINE AVE

S9 (CA)

S10 (CA)



S12 (CA)

PACIFIC COAST

S17 (CA)



S18 (CA)



S19 (CA)

RS-068

RS-076

NO LOITERING, CAMPING, VENDING OR PARKING OF VEHICLES

30 FEET OR LONGER

S22 (CA)

VEHICLE INSPECTION ONLY NO LOITERING OR CAMPING

> S22-1 (CA) S23 (CA)

N₀ SOLICITING STREETS AND HIGHWAYS CODE - SECTION 225.5

S24 (CA)

HISTORIC 99) **ROUTE**

S25 (CA)

CAUTION

S26 (CA)

Ets Caltrans CONSTRUCTION FIELD OFFICE

S27 (CA)

USING **RECYCLED** WATER

S28 (CA)

PURDON BRIDGE 1895

S29 (CA)

RANCHO MURIETA BRIDGE 1908

S29-1 (CA)

RANCHO MURIETA FOR INFORMATION BRIDGE - 1908 CALL 1-866-ADOPTAHWY 2 MILES 🔷 S32 (CA) S29-2 (CA)



S32A (CA)















IN MEMORY OF JOHN & JANE DOE JOHN DOE JANE DOE





SAN DIEGO

ENTERING S36A (CA)

S36B (CA)

Highway SG1 (CA)

Cabrillo



Εſ



SG8 (CA)

NO PICKUPS

S35-1 (CA)

S35-2 (CA)

Assembly with S32A(CA) & S32B(CA) recognition panel


OHN & JANE DOE

LEAVING

California MUTCD 2014 (Including Revision 1) Sign Charts Sheet 12 of 14 - Guide Signs

Division of Traffic Operations, Office of Traffic Engineering

Effective November 7, 2014



This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool. California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes). For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.







SG25 (CA)



SG25A (CA)













SG34 (CA)

PERMIT REQUIRED

SG19 (CA)





SG26 (CA)

SG28 (CA)

SG30 (CA)

SG31 (CA)

SNO-PARK

SG32 (CA)

SNO-PARK →

SG33 (CA)

SNO-PARK

CAL FIRE STATION NEXT RIGHT



SG39 (CA)



SG41 (CA)



SG42-1 (CA)



SG42-2 (CA)



SG42-3 (CA)



SG42-4 (CA)



SG42-5 (CA)



SG42-6 (CA)



SG42-7 (CA)

SG35-1 (CA)

CAMPING

PERMIT REQUIRED

NOV 1 TO MAY 30

















SG47B (CA)



SG42-8 (CA)



SG42-10 (CA)

SG42-11 (CA)

SG42-12 (CA)

SG44-2 (CA)

SG45 (CA)

SG47A (CA)





SG47C (CA)











W61A (CA)







EXIT ONLY 🔱



◆ EXIT ONLY **◆**



21/2 MILES SG47D (CA)



SG49A (CA)



SG49C (CA)



SG60 (CA)





















W61H (CA) Community Wayfinding Guide Signs with Enhancement Markers

Overhead Arrow-per-Lane Guide Sian

New, deleted, or modified signs, compared to the 2012 Sign Chart

Sign Designation	CA MUTCD Section	Status	Comments
G66-21B (CA)	21.03	New	Refer to Traffic Operations Policy Directive 13-01
G66-21C (CA)	21.03	New	
G83-4 (CA)	Modesto St 1 MILE 2E.31	Deleted	Use G83-5 (CA)
G85-10 (CA)	Modesto St ZE.31	Deleted	Use G85-11 (CA)
G86-12 (CA)	(2E.31 Modesto St NEXT RIGHT	Deleted	Use G86-13 (CA)
SG49C (CA)	21.10	New	

California MUTCD 2014 (Including Revision 1) Sign Charts Sheet 13 of 14 - Temporary Traffic Control Signs

For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.

California Department of Transportation Division of Traffic Operations, Office of Traffic Engineering Effective November 7, 2014

This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool. California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes).



ROAD **CLOSED**

C2 (CA)

RAMP CLOSED



C9A (CA)



C12 (CA)

ROAD CLOSED AHEAD

C19 (CA)

RAME **CLOSED** AHEAD

C19 (CA)

Alternate



C20 (CA)



C20A (CA)



C20B (CA)



ROAD

WORK

AHEAD

RAMP WORK AHEAD

HIGHWAY WIDENING

C23B (CA)



OPEN **TRENCH**

C27 (CA)

TRAFFI

C40A (CA)

1500 FT



C30 (CA)



C30 (CA)

Alternate



C30A (CA)



C31A (CA)



C37 (CA)

TRAFFIC

C23A (CA)



FINES DOUBLED TRAFFIC FINES DOUBLED IN CONSTRUCTION ZONES

IN WORK ZONE

C43 (CA)

FRESH

CONCRETE

C29 (CA)



C44 (CA)



C45 (CA)



C46 (CA)



C46P (CA)



C47A (CA)

C37 (CA)

C38 (CA)

C40 (CA)

C24 (CA)

EXIT

ROAD WORK NEXT 5 MILES

END ROAD WORK

PILOT CAR FOLLOW ME WORK ZONE



END DETOUR

FEDERAL HIGHWAY TRUST FUND
STATE HIGHWAY FUNDS HIGHWAY CONSTRUCTION

OPEN

EXIT

EXIT CLOSED

ONLY

G20-2

G20-4

G20-5aP M4-8

M4-8a

C47B (CA)

E5-2

E5-2a

E5-3

G20-1

WAIT

0N**STOP**

GO 0NSLOW

FINES DOUBLE

END WORK ZONE **SPEED** LIMIT

M4-8b







M4-9b



M4-10

R1-7

R1-8

R2-6aP

R2-12





N0 URNS

R3-3

DONOT PASS

STAY IN LANE

R4-9

PEDESTRIAN CROSSWALK

R9-8

SIDEWALK CLOSED

R9-9

SIDEWALK CLOSED USE OTHER SIDE

R9-10

SIDEWALK CLOSED AHEAD **CROSS HERE**

R9-11

SIDEWALK CLOSED CROSS HERE

R9-11a

ST₀P HERE ON **RED**

R3-1

ROAD CLOSED

RAMP CLOSED **BRIDGE** CLOSED

R4-1

ROAD CLOSED 10 MILES AHEAD LOCAL TRAFFIC ONLY

ROAD CLOSED THRU TRAFFIC









R10-6

R11-2

R11-2 (Alternate)

R11-2 (Alternate) R11-3a

R11-4

SC3 (CA)

SC5 (CA)

SC6A (CA)



SC6B (CA)

RAMP

RAMP CLOSED MON JAN 23 THRU FRI JAN 27 6 AM - 5 PM

RAMP CLOSED USE RAMP AT MANCHESTER AVE

SC7 (CA)

MANCHESTER AVE EXIT - RAMP CLOSED

SC8 (CA)



SC9 (CA)

SC9 (CA)

Alternate

DETOUR

LANE CLOSED **AHEAD**

SC10 (CA)

ROAD WORK AHEAD

LANE **CLOSED**

DO NOT **PASS**

SC13 (CA)

SC6-3 (CA)

EXIT

SC18 (CA)

SC6-4 (CA)

SLOW FOR THE CONE ZONE

SC20 (CA)

FREQUENT STOPPING AND BACKING STAY BACK 100 FEET SC21(CA)

W1-1

W1-2



SC10 (CA)

Alternate



SC11 (CA)



SC15 (CA)

W1-8

CAUTION



W3-1



SC19 (CA)
















12/9/15, Revision 1

California MUTCD 2014 (Including Revision 1) Sign Charts Sheet 14 of 14 - Temporary Traffic Control Signs

California Department of Transportation Division of Traffic Operations, Office of Traffic Engineering

This chart contains commonly used signs in California, and is not meant to be used as a comprehensive sign chart or a stand-alone sign design tool. California signs are designated with a (CA) suffix. Otherwise, federal 2009 MUTCD sign designations are shown (formerly known as sign codes). For sign specification details, visit www.dot.ca.gov/hq/traffops/engineering/control-devices/specs.htm.





W4-5

NO MERGE AREA

W4-5P







W5-3



W6-3



W6-4



W8-1



W8-2

PAVEMENT ENDS

W8-3



W8-4



W8-6

W4-6



W8-7

W5-1



W5-2



W8-9



W8-15







W8-17P



W8-18



W8-23



W8-24



W8-25



W9-3



W12-1



W12-2



W13-1P



W14-3



W16-2P









W20-3



Alternate



W20-4

LANE **CLOSED** 2 MIL

W20-5

RIGHT LANES CLOSED 2 MILI

W20-5a





W20-8 Paddle



















































W24-1




W24-1cP












Delineator









Barricade









W86 (CA)



Object Marker



Type P (CA) Markers



New, deleted, or modified signs, compared to the 2012 Sign Chart (Revision 1 changes noted by orange bar)

_		U , I	١ .	
	Sign Designation	CA MUTCD Section	Status	Comments
	C17 (CA)	30 SFEED LIMIT 6F.12	Deleted	
	C20 (CA)	6F.22	Modified	Uses larger LEFT (or RIGHT) and Numeral plaques
	C45 (CA)	6F.87	New	
	C46 (CA)	6F.45	New	
	C46P (CA)	6F.45	New	
	C47A (CA)	6F.109 (CA)	New	
	C47B (CA)	6F.109 (CA)	New	
	W20-8 Paddle	6E.03	Modified	W20-8 labeled as STOP-SLOW PADDLE (rev 3/1/2012 FHWA)
	W86 (CA)	6I.101 (CA)	New	
	W90 (CA)	6I.102 (CA)	New	